

# FarmLens Ltd

Website: farmlens.africa | App: app.farmlens.africa | Headquarters: Nairobi, Kenya



Crop details

## White Clover

*Trifolium repens*

Family: Fabaceae

Categories

Legumes & Pulses

Forages & Fodder

Generated: 2026-04-11 08:15

### Quick stats

<b>Family</b>	Fabaceae
<b>Typical harvest</b>	5.0 t/ha
<b>Varieties</b>	1
<b>Pests and diseases</b>	2
<b>Seasons</b>	1

### Crop profile

<b>Growth habit</b>	perennial
<b>Days to harvest</b>	120
<b>Main uses</b>	Pasture legume for nitrogen fixation and forage quality.
<b>Pollination</b>	insect
<b>Origin and where it grows</b>	Used in cool East African highland pastures and dairy systems.

### Weather, soil and spacing

<b>Best temperature</b>	8 - 22 °C
<b>Rainfall</b>	450 - 800 mm/yr
<b>Altitude</b>	800 - 2800 m
<b>Best pH</b>	6 - 7
<b>Soil type</b>	Fertile well-drained loam rich in organic matter.
<b>Row spacing</b>	40 cm
<b>Plant spacing</b>	20 cm
<b>Planting depth</b>	1.5 cm
<b>Seed rate</b>	4 kg/ha

### Simple notes for farmers

**About the crop:** This crop is perennial; once planted it can keep producing for many years. Harvest typically starts about 120 days after planting.

**Main use:** Farmers mostly grow this crop for pasture legume for nitrogen fixation and forage quality..

**Pollination:** Mainly insect; healthy flowers and pollinators improve fruit set.

**Where it grows:** Used in cool East African highland pastures and dairy systems.. Grouped under: Legumes & Pulses, Forages & Fodder.

**Best climate:** 8 - 22 °C; 450 - 800 mm/yr; up to about 2800 m a.s.l.

**Soil:** Best at pH 6 - 7; fertile well-drained loam rich in organic matter..

## Farmer guide (Mwongozo wa Mkulima)

<b><u>Planting</u></b>	Establish White Clover in a fine weed-free seedbed and keep emergence moisture steady.
<b><u>Transplanting</u></b>	Direct seed or transplant depending on production system.
<b><u>Irrigation</u></b>	Maintain even soil moisture for steady White Clover growth and quality.
<b><u>Fertigation</u></b>	Use split nitrogen and potassium for market-quality White Clover.
<b><u>Pest scouting</u></b>	Scout White Clover weekly for chewing pests, sap suckers, and foliar diseases.
<b><u>Pruning and training</u></b>	No pruning required unless sanitation or staking is needed.
<b><u>Harvest</u></b>	Harvest White Clover at market maturity for the intended use.
<b><u>Postharvest</u></b>	Cool and shade White Clover promptly after harvest.


## Nutrient schedule (Mbolea kwa Hatua)

#	Stage	DAP	Product	Rate	Targets (kg/ha)	Notes
1	Basal	0	NPK 17-17-17	200 kg/ha	N: 34, P <sub>2</sub> O <sub>5</sub> : 34, K <sub>2</sub> O: 34	Basal fertilizer for White Clover.
2	Topdress	21	CAN	100 kg/ha	N: 26, P <sub>2</sub> O <sub>5</sub> : N/A, K <sub>2</sub> O: N/A	Support active White Clover vegetative growth.

## Nutrient requirements

Nutrient	Stage	Amount	Unit
N	Basal	35	kg/ha
P <sub>2</sub> O <sub>5</sub>	Basal	30	kg/ha
K <sub>2</sub> O	Basal	35	kg/ha
N	Topdress	25	kg/ha
K <sub>2</sub> O	Topdress	20	kg/ha

## Field images



## Varieties

Name	Country	Maturity (days)	Traits
Ladino Clover	KE	120	High-protein stoloniferous pasture legume.

## Fertilizer recommendations

<u>Stage</u>	<u>Product</u>	<u>Rate</u>	<u>Notes</u>
Planting	Well-rotted manure	5000	Improve soil structure before White Clover planting.
Vegetative growth	CAN	100	Split topdress for White Clover production.

## Pests and diseases

<u>Name</u>	<u>Type</u>	<u>Symptoms</u>	<u>Management</u>
Aphids	pest	Leaf curling and sticky honeydew.	Scout frequently and use selective control when pressure builds.
Leaf spot complex	disease	Necrotic spotting and reduced leaf quality.	Improve airflow, rotate crops, and avoid prolonged leaf wetness.

## Yields

<u>System</u>	<u>Typical</u>	<u>Min</u>	<u>Max</u>	<u>Notes</u>
Managed fresh-market production	5	3.5	7.5	Typical marketable White Clover yield under irrigated or well-managed conditions.

## Season calendars

<u>Country</u>	<u>Region</u>	<u>Planting</u>	<u>Harvest</u>
KE	Highland Vegetable Zones	Mar-Apr or Oct-Nov	Year-round depending on irrigation

## Region suitability

<u>Country</u>	<u>Region</u>	<u>Suitability</u>
KE	Highland Vegetable Zones	High

Source: **FarmLens Ltd** - farmlens.africa and app.farmlens.africa. Headquarters: Nairobi, Kenya. This guide was generated from the FarmLens database.